Print ISSN 3105-8884



Problems and Suggestions Regarding Hydrogen Energy as a **Sustainable Energy Source**

Zilong Zhao^{1,*}

^{1,*}International Institute of Management and Business,220086, Minsk City,Belarus

KEYWORDS ABSTRACT

hydrogen energy; Sustainable development;

clean energy

has become an inevitable choice for addressing climate change. Hydrogen energy, with its unique characteristics, is regarded as the "fourth-generation energy" following coal, petroleum, and electricity, playing a crucial role in solving energy and environmental challenges. From Germany's "National Hydrogen Strategy" to Japan's vision of a "Hydrogen Society," and from China's "14th Five-Year Plan" for the hydrogen energy industry to the EU's "Hydrogen Corridor" initiative, major global economies have elevated hydrogen energy to a national strategic level. The primary objective of this article is to aphance public understanding and knowledge of hydrogen energy, thereby premoting its greater role in enhance public understanding and knowledge of hydrogen energy, thereby promoting its greater role in sustainable energy systems. The focus of this paper lies in addressing the high costs associated with hydrogen energy transportation and storage.

As the world accelerates toward the goal of "carbon neutrality," the green transition of energy systems

INTRODUCTION

Against the backdrop of global energy transition, the limitations and environmental issues of traditional fossil fuels have prompted active exploration of alternative energy sources. Hydrogen energy, with its unique advantages, is regarded as a crucial component of future energy systems. Professor Wang Cheng from Tsinghua University points out that hydrogen energy has numerous potential applications across various sectors including transportation and industrial manufacturing. Jonas Moberg, CEO of the Green Hydrogen Organization (GH2), believes green hydrogen can be applied in fertilizer production, maritime shipping, and industrial processes, serving as a vital means to drive societal decarbonization. These perspectives demonstrate that hydrogen energy will emerge as a sustainable energy source, with its significance summarized as follows [1]:

- climate change protection: reducing greenhouse gas emissions and mitigating air pollution;
- 2) Enhancing energy security and independence: decreasing reliance on imported fossil fuels and improving energy supply stability;
- Promoting transition 3) energy and sustainable development: facilitating efficient utilization renewable energy and building a diversified energy

system;

- Economic and industrial development: creating new economic growth opportunities driving transformation and upgrading of traditional industries;
- Social and livelihood benefits: improving equitable access to energy and enhancing the efficiency and quality of energy utilization.

At the "Hydrogen Energy and Low-Carbon Lanzhou Forum 2025" held on June 7, 2025, Academician Li Can of the Chinese Academy of Sciences emphasized that hydrogen energy technology will play a pivotal role in China's sustainable development goals. It is not only a key technology for achieving the "dual carbon" targets but also a driving force behind the green and low-carbon transformation of the entire industrial system [2]. He highlighted that large-scale hydrogen production in the future will primarily address decarbonization needs in industries such as steel, metallurgy, cement, and chemicals-sectors currently reliant on fossil fuels but poised to transition toward hydrogen to achieve low or even zero carbon emissions. Academician Li Can's team has made breakthroughs in hydrogen storage materials, developing composite metal materials with hydrogen absorption exceeding 8% while reducing hydrogen release temperatures from 250°C to 90°C.

* Corresponding author. E-mail address:13911573103@163.com

Received date: September 30, 2025; Revised manuscript received date: October 2, 2025; Accepted date: October 6, 2025; Online publication date: October 9, 2025.

Copyright © 2025 the author. This is an open access article distributed under the terms of the Creative Commons Attribution License (https://creativecommons.org/licenses/by/4.0/).

hydrogen

energy

breakthroughs. In 2023, global hydrogen demand reached 97

million tons, yet green hydrogen accounted for less than 2%,

with fossil fuel-based production still dominating [3].

Energy security and decarbonization demands have spurred

a green hydrogen revolution. Countries like Germany and

the Netherlands are securing green hydrogen supplies

through import strategies targeting North Africa and

Australia, while China leverages its affordable photovoltaic

resources to build a "hydrogen economy corridor."

Concurrently, technological advancements are driving costs toward critical thresholds: in 2025, alkaline electrolyzer prices dropped by 38% year-on-year, and PEM electrolyzers

by 29%, bringing green hydrogen levelized costs close to the

As the world's largest hydrogen producer and consumer,

China is experiencing explosive growth in green hydrogen

capacity. In 2025, green hydrogen project bids surged to 620

MW, an eightfold increase year-on-year. Applications are

diversifying rapidly: annual sales of fuel cell vehicles

exceeded 7,000 units in transportation, while Baowu Group's

hydrogen-based steelmaking pilot reduced carbon emissions by 50%. By September 2024, China had commissioned 500 hydrogen refueling stations—the highest globally—and accounted for over 50% of the world's cumulative renewable

capacity

China

hydrogen-ammonia-methanol integrated project in Yantai,

parity benchmark of 15 RMB/kg.

production

2025,

hydrogen

tons/year).

April

is

from policy consensus to technological

Globally,

acceleration

Print ISSN 3105-8884


undergoing




Online ISSN 3105-8892

October 2025, Vol. 1, No. 1

The following charts present global hydrogen energy production and price trends:





Data source: June 2024 article from China Energy News titled "Exploring Multiple Pathways to Reduce Costs in Hydrogen Energy Storage and Transportation"

Shandong Province, which utilizes offshore renewable energy for off-grid hydrogen production and converts it into more easily storable ammonia and methanol. The EU's Carbon Border Adjustment Mechanism (CBAM) is driving the adoption of green hydrogen through carbon pricing, with

(exceeding

completed

250,000

first

this "subsidy + carbon pricing" dual approach accelerating the commercialization of green hydrogen. Sinopec's "West-to-East Hydrogen Transmission" project complements Europe's HyDeal Ambition initiative, creating a coordinated

development pattern between East and West [4].

It is evident that hydrogen energy, as a sustainable energy

source, is demonstrating positive development trends both domestically and internationally. However, several challenges remain, including high production and transportation costs, technological bottlenecks, inadequate infrastructure, and lack of unified standards and regulations.

1 Hydrogen Production Methods and Storage/Transportation Technologies

The research team led by Lü Zhihui in Yulin, China has achieved scaled production of magnesium hydride (MgH₂) hydrogen storage materials, reducing hydrogen storage and transportation costs by 25%. In the United States, Dr. Barbara Kutchko has pioneered underground hydrogen storage sealing technology, developing novel cement-based sealing materials that ensure both safety and cost-effectiveness when utilizing salt caverns and depleted oil/gas reservoirs for hydrogen storage [5].

The Australian research team headed by Charles Johnston conducted a systematic economic comparison of different hydrogen carriers (ammonia, methanol, and liquid hydrogen), with study results indicating ammonia as the most



Международный институт управления и предпринимательства **Multidisciplinary Research**

Research Article October 2025, Vol. 1, No. 1 Print ISSN 3105-8884 Online ISSN 3105-8892

cost-effective transportation medium at \$0.56/kg Detailed comparative analysis is presented in the following chart:

[Fig: Economic Comparison of Hydrogen Transportation Methods]

Туре	Cost	Related Notes
	Characteristics	
Magnesium hydride (MgH ₂) based hydrogen storage and transportation materials	Single hydrogen storage cost below 0.5 RMB/kg	Magnesium-based solid-state hydrogen storage technology demonstrates high storage density, reaching 7.6 wt%. With the construction of 10,000-ton production lines, the cost of magnesium hydride material is expected to decrease from 1,000 RMB/kg to 300 RMB/kg.
Underground hydrogen storage sealing technology	The initial construction cost is relatively high, while the long-term storage cost is comparatively low.	Underground hydrogen storage solutions, such as salt cavern storage, are well-suited for large-scale, long-duration hydrogen storage. Substantial upfront investment is required for cavern development and related engineering work. For example, the Yexian Salt Cavern Hydrogen Storage Project in Henan Province involved a total investment of over 70 million RMB. However, due to its excellent sealing performance and high capacity, this method offers relatively low unit hydrogen storage costs in the long term.
Ammonia (NH ₃) mediated hydrogen transportation	The current cost is projected at 720-1,400/t, with potential future reduction	Ammonia exists in liquid form at ambient temperature, enabling cost reduction through utilization of existing transportation

Methanol (CH ₂ OH) based hydrogen logistics Cryogenic liquid hydrogen (LH ₂) transportation (CH ₂ OH) transportation (CH ₂ OH) to approximately 15-30% of the total price Cryogenic liquid hydrogen (LH ₂) transportation (CH ₂ OH) transportation (CH ₂ OH) based hydrogen logistics Cryogenic liquid hydrogen (LH ₂) transportation (CH ₂ OH) transportation (CH ₂ OH) based hydrogen logistics Cryogenic liquid hydrogen (LH ₂) transportation (CH ₂ OH) transportation (CH	Online ISSN 3105-8892	Octob	Jei 2023, vol. 1, 190. 1
Methanol (CH ₃ OH) based hydrogen logistics Transportation costs account for approximately 15-30% of the total price Transportation costs account for approximately 15-30% of the total price Transportation cost account for approximately 15-30% of the total price Liquid hydrogen transportation requires cryogenic conditions and stringent thermal insulation for containers. Significant capital investment and high energy consumption entails high energy consumption and elevated costs, yet economies of scale can drive cost reduction. Cryogenic Cryogenic Iquid hydrogen capital investment and high energy consumption distances of 500 kilometers, the distribution cost increases by only \$0.3/kg, demonstrating advantages for long-distance transport. With liquefaction capacity expansion to 150 tons/day, the energy consumption for liquefaction can be reduced to 6 kWh/kg, resulting in	Online 155.N 5105-6692		infrastructure. However, due to its toxic and corrosive properties, safety assurance costs remain elevated. For transportation distances ranging from 1,500 to 3,500 kilometers, maritime
Cryogenic liquid hydrogen (LH2) transportation Cryogenic liquid hydrogen (LH2) transportation Consumption and elevated costs, yet economies of scale can drive cost reduction. Cost reduction Cryogenic liquefaction entails high energy consumption and elevated costs, yet economies of scale can drive cost reduction. Cryogenic liquefaction entails high energy consumption and elevated costs, yet economies of scale can drive cost reduction. Cryogenic liquefaction entails high energy consumption distances of 500 kilometers, the distribution cost increases by only \$0.3/kg, demonstrating advantages for long-distance transport. With liquefaction capacity expansion to 150 tons/day, the energy consumption for liquefaction can be reduced to 6 kWh/kg, resulting in	(CH ₃ OH) based hydrogen	costs account for approximately 15-30% of the	advantages. Methanol remains in liquid state at ambient temperature and can be transported via road, rail, or maritime shipping, with maritime transportation offering the lowest unit cost
lower overall costs.	liquid hydrogen (LH ₂)	liquefaction entails high energy consumption and elevated costs, yet economies of scale can drive	transportation requires cryogenic conditions and stringent thermal insulation for containers. Significant capital investment and high energy consumption characterize liquefaction plant operations. At transportation distances of 500 kilometers, the distribution cost increases by only \$0.3/kg, demonstrating advantages for long-distance transport. With liquefaction capacity expansion to 150 tons/day, the energy consumption for liquefaction can be reduced to 6 kWh/kg, resulting in

Source: Chapter 3 - Hydrogen Production, Storage and Transportation, Hydrogen Energy and Fuel Cell Technology Towards Carbon Neutrality [6-9]

Discussion of hydrogen energy storage transportation inevitably involves hydrogen production methods. Current primary methods include: electrolytic water hydrogen production, fossil fuel-based hydrogen production, biological hydrogen production, and photolytic



Research Article

Print ISSN 3105-8884



Online ISSN 3105-8892 October 2025, Vol. 1, No. 1

water hydrogen production.

Hydrogen storage methods primarily include three types: high-pressure gaseous storage, cryogenic liquid storage, and solid-state storage. High-pressure gaseous storage is currently the most commonly used and mature method, primarily employing sealed pressure vessels for hydrogen storage. This method offers advantages such as simple storage equipment and fast charging/discharging speeds, but its relatively low storage density and requirement for large storage space remain issues to be addressed.

The table below shows current cost comparisons of these three hydrogen storage methods in China:

Storage	Transportation	Cost Description
Methods	Distance and Cost	
	Analysis	
	When the	Core materials such as
	transportation	carbon fiber rely on
	radius exceeds 300	imports, resulting in high
	km, the	hydrogen storage tank
	transportation cost	costs. For 20MPa gaseous
High-Pressure	is 35 RMB/kg	hydrogen tube trailers, the
Gaseous		average cost increases by
Hydrogen		3.44 RMB/kg per
Storage		additional 100 km,
		Calculated based on
		5,000 charge-discharge
		cycles, the hydrogen
		storage cost per kilogram
		is 1.2 RMB.
	When the	The liquefaction energy
	transportation	consumption per
	distance increases	kilogram of hydrogen is
	from 50 km to 600	as high as 12-15 kWh,
Cryogenic	km, the cost for 30	leading to high energy
Liquid	t/d liquid hydrogen	costs, The price of one
	tank trucks rises	liter of liquid hydrogen is
Hydrogen Storage	from 5.89 RMB to	approximately 30-40
	7.37 RMB/kg,	RMB.
	with an average	
	cost increase of	
	0.27 RMB/kg per	
	additional 100 km.	
Solid-State	Under 500 km	The current cost of
Hydrogen	transportation	hydrogen storage tanks is

7 mine 1551 (5105 00) 2	0 00000	= 020, 102 2, 1100 1
Storage	scenarios, the cost	about 1,200 RMB/L,
	is approximately	With technological
	20 RMB/kg,	advancements and
	which is 43%	economies of scale, the
	lower than	cost is decreasing at an
	high-pressure	annual rate of 15%. If
	gaseous storage.	magnesium-based
		materials achieve 100%
		recycling, the cost will
		decrease significantly.

Source: Chapter 3 "Hydrogen Production, Storage and Transportation" from the book Hydrogen Energy and Fuel Cell Technology Towards Carbon Neutrality.

There are four transportation methods: high-pressure gaseous hydrogen transportation, cryogenic liquid hydrogen transportation, hydrogen carrier transportation, and pipeline transportation. High-pressure hydrogen gaseous transportation involves delivering compressed hydrogen to destinations via high-pressure hydrogen cylinders or tube trailers. This method is suitable for short-distance, small-batch hydrogen transportation, offering high flexibility, but with relatively elevated costs. Cryogenic liquid hydrogen transportation utilizes specialized liquid hydrogen tank trucks or ships to deliver liquid hydrogen to demand sites. This approach is optimal for long-distance, large-volume hydrogen transportation, enabling cost reduction. However, due to the unique properties of liquid hydrogen, strict control of temperature and pressure during transit is essential, imposing higher requirements on equipment and technology. Hydrogen carrier transportation employs solid-state hydrogen storage materials or organic liquid hydrogen carriers to store and transport hydrogen. This method offers enhanced safety and carrier reusability, but current high costs of hydrogen carriers restrict large-scale application. transportation involves dedicated hydrogen pipelines to deliver hydrogen from sources to destinations. This method offers advantages such as low cost, continuous operation, and high throughput, making it suitable for long-distance, large-scale hydrogen transportation.

Research Article



Online ISSN 3105-8892

October 2025, Vol. 1, No. 1

Research Art	icle	Print ISSN 3105-8884
Transportation	Transportation	Technical Specifications
Methods	Costs	reclinical opecifications
Wicthous	At a	Tube trailers are typically
II. 1 D	transportation	employed, with 200 km
High-Pressure	distance of 50	being the cost-effective
Gaseous	km, the cost is	distance. Costs are highly
Hydrogen	approximately 4.9	distance-dependent and
Transportation	RMB/kg; at 500	increase significantly with
	km, it is about 22	longer distances.
	RMB/kg	
	At a	Liquid hydrogen tanker
	transportation	transportation is suitable
Caragania	distance of 100	for long-distance,
Cryogenic	km, the cost is	high-capacity storage and
Liquid	approximately	transport.
Hydrogen	13.57 RMB/kg; at	
Transportation	500 km, it is	
	about 8.85	
	RMB/kg	
	At a	As transportation distance
	transportation	increases, costs rise due to
	distance of 50	factors such as hydrogen
Hydrogen	km, the cost is	consumption during
Carrier	approximately 9.6	charging/discharging and
Transportation	RMB/kg; at 1000	equipment depreciation.
	km, it is about	
	21.7 RMB/kg	
	Per 100 km, the	This method is optimal for
Pipeline Transportation	cost increases by	long-distance, large-scale
	approximately	transportation and is
	1.3-1.5 RMB/kg	currently the most efficient
		hydrogen delivery method.
		While initial pipeline
		construction costs are
		high, the long-term
		amortized costs are the
		amortized costs are the

Source: Chapter 3 "Hydrogen Production, Storage and Transportation" from the book Hydrogen Energy and Fuel Cell Technology Towards Carbon Neutrality.

lowest.

2 Recommendations for Hydrogen Energy as a Sustainable Energy Source in Storage and Transportation

In light of the current challenges faced by hydrogen energy

across various application domains, particularly in transportation and storage, the following recommendations are proposed:

Enhance Cost Management

Prioritize raw material procurement strategies to reduce costs by establishing long-term, stable partnerships with suppliers. Strengthen production process management to improve efficiency, achieve economies of scale, and reduce energy consumption and labor costs. Rationalize the planning of transportation and storage segments, optimize transport routes where possible, and achieve cost savings. Based on current practical conditions, it is recommended to use low-cost, reusable carbon fiber hydrogen storage tanks for storage, and to utilize existing pipelines or blended for transportation. hydrogen pipelines transportation is necessary, actively develop 35MPa hydrogen transportation technology and limit the delivery distance to within 300 kilometers.

Promote Technological Innovation

Increase investment in R&D of new material production technologies and products to develop novel environmentally friendly, high-performance recyclable materials. Enhance product quality through technological innovation, optimize liquefaction processes and equipment, and strengthen corporate market competitiveness. Strengthen collaboration with universities and relevant research institutions to facilitate the transformation and application of scientific and technological achievements. For hydrogen storage materials, it is recommended to use magnesium-based composite materials, leveraging the synergistic effects of nanonization and catalysts to reduce hydrogen absorption/desorption temperatures increase storage capacity; and transportation, it is recommended to employ IoT and big data technologies for real-time monitoring and management of hydrogen storage equipment and transportation processes, enabling remote equipment monitoring, fault early warning, maintenance optimization, improved operational efficiency, and reduced maintenance costs.

Foster Industrial Chain Synergy Effects

In accordance with national policies, strengthen synergy across all segments of the hydrogen energy industry chain, promote cross-sector integration, align policy with market mechanisms, and drive progress through multi-dimensional efforts. Integrate the entire chain of

Research Article

Print ISSN 3105-8884



Online ISSN 3105-8892

October 2025, Vol. 1, No. 1

"production-storage-transportation-refueling-application" to establish a virtuous cycle of "expanding application scale \rightarrow reducing hydrogen production costs \rightarrow further advancing application adoption". Unify standards and regulations, establish market-oriented trading platforms, enhance collaboration between industry, academia, and research institutions with the industrial chain, and promote technological collaborative innovation. It is recommended to form a hydrogen energy industry alliance, with policies guiding regional specialization, to achieve efficient coordination, reduce overall costs, expand application scale, and unleash synergistic effects. Plan storage and transportation solutions rationally based on hydrogen production output and demand to reduce overall costs.

Promote Green Development Initiatives

Actively respond to sustainable development requirements by utilizing hydrogen energy as an energy carrier, integrating it with power, heating, transportation, and other systems to multi-energy complementary system form "hydrogen-electricity-heat-storage," promoting low-carbon transformation of the energy structure, facilitating deep decarbonization in the industrial sector, and optimizing green mobility in transportation. Through its low-carbon attributes across the entire chain and cross-sector synergistic applications, hydrogen energy comprehensively drives socio-economic development toward green and sustainable directions, spanning from energy production consumption to ecological protection. It is recommended to deploy green hydrogen projects in regions abundant with wind and solar resources, integrate hydrogen production with pipeline transportation planning, and adopt large-scale pipeline transportation to not only reduce transportation costs but also avoid carbon emissions during transit, achieving truly sustainable green energy through green hydrogen production and green transportation.

Conclusion

Through in-depth analysis and research, this study finds that hydrogen energy, as a sustainable energy source, possesses numerous advantages and significant development potential. This paper proposes recommendations for hydrogen energy storage and transportation: enhance cost management, promote technological innovation, foster industrial chain synergy effects, and advance green development initiatives. Establish a hydrogen energy industry alliance to unleash

industrial synergy effects, deploy green hydrogen projects in regions abundant with wind and solar resources, integrate hydrogen production and pipeline transportation planning, utilize magnesium-based composite materials for hydrogen storage, prioritize blended hydrogen pipeline transportation where feasible, employ 35MPa hydrogen transportation technology for vehicle transport with distances limited to 300 kilometers, and implement real-time monitoring through IoT and big data technologies. Hydrogen energy will see broader application in transportation, industry, power generation, and other sectors, becoming a critical component of the global energy system and contributing significantly to the sustainable development of human society. Countries should strengthen cooperation and exchange, jointly promote the research, development, and innovation of hydrogen energy technologies, accelerate the growth of the hydrogen energy industry, and achieve global green development of hydrogen energy.

REFERENCES

1.Liu, Q., Zhang, Z., Wang, Q., et al. (2024). Hydrogen economy . Beijing Chemical Industry Press.3rd ed., pp. 37-64

2.Wu, C., Li, Y., Li, Y., et al. (2023). Storage and transportation of hydrogen. Beijing Machinery Industry Press.2nd ed., pp. 25-33

3.Elsevier Ltd. (2024). The transportation of the hydrogen energy. International Journal of Hydrogen Energy, 3(3), 7-8.

4.Brandon, N. P., & Brandon, J. J. (2023). Hydrogen for a net-zero carbon world. Engineering, (10), 23-24.

5.Zhou, G., Jiang, W., Huang, G., et al. (2025). Hydrogen energy: The shining star of future energy. Beijing Higher Education Press.4th ed., pp. 70-81

6.Arya, R. K. (Ed.). (2024). Sustainable hydrogen energy: Production, storage & transportation . De Gruyter Press.9th ed., pp. 37-451

7. Wang, J. (2022). New energy hope - Hydrogen energy . Anhui Normal University Press. 5th ed., pp. 90-115

8.Klebanoff, L. (2016). Hydrogen storage technology: Materials and applications . CRC Press.3rd ed., pp. 294-406

9.Lü, X., & Weng, Y. (2024). Hydrogen energy and fuel cell technology towards carbon neutrality. Shanghai Science and Technology Press.1st ed., pp. 23-55.